



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/656,491 | 09/05/2003 | Dagmar Beyerlein | 5618.P3653 | 8370 |

7590 09/18/2008
James C. Scheller
BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
Seventh Floor
12400 Wilshire Boulevard
Los Angeles, CA 90025

| |
|----------|
| EXAMINER |
|----------|

WITCZAK, CATHERINE

| | |
|----------|--------------|
| ART UNIT | PAPER NUMBER |
|----------|--------------|

3767

| | |
|-----------|---------------|
| MAIL DATE | DELIVERY MODE |
|-----------|---------------|

09/18/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/656,491

Applicant(s)

BEYERLEIN, DAGMAR

Examiner

CATHERINE N. WITCZAK

Art Unit

3767

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 August 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3 and 5-12 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3 and 5-12 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-8508)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION***Continued Examination Under 37 CFR 1.114***

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(c), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(c) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/25/2008 has been entered.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(c) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

1. Claims 1, 2, 3, 6, and 8 rejected under 35 U.S.C. 102(b) as being anticipated by Sicurelli et al (US 6,162,202).

Sicurelli et al disclose in Figure 4 a system comprising a needle with a first and second opening (17c), and a fluid pressure sensor (550) configured to measure a first, second, and third pressure change as therapeutic agent is injected.

Art Unit: 3767

2. Claims 1, 2, 3, 6, and 8 rejected under 35 U.S.C. 102(b) as being anticipated by Galindo (US 4,411,657).

Galindo discloses in Figure 1 a system comprising a needle with a first and second opening (18), and a fluid pressure sensor (column 2, lines 40-50) configured to measure a first, second, and third pressure change as therapeutic agent is injected.

3. Claims 1, 2, 3, 6, and 8 rejected under 35 U.S.C. 102(c) as being anticipated by Flaherty et al (US 6,283,951).

Flaherty et al disclose in Figure 5c a system comprising a needle (62) with a first and second openings (75), and a fluid pressure sensor (column 17, lines 42-52) configured to measure a first, second, and third pressure change as therapeutic agent is injected.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 5, 7, 9, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sicurelli et al OR Galindo OR Flaherty et al in view of Sicurelli et al OR Galindo OR Flaherty et al.

Sicurelli et al OR Galindo OR Flaherty et al discloses the claimed invention except for expressly disclosing the size of the aperture, distance of the aperture from the end of the needle, and outer/inner diameter of the syringe. At the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to change the arc,

Art Unit: 3767

distance, and diameters because Applicant has not disclosed that these values provide an advantage, is used for a particular purpose, or solves a stated problem. One of ordinary skill in the art would have been able to change these values in order to control the amount of flow and location of outflow as desired. Therefore, it would have been an obvious matter of design choice to modify Sicurelli et al OR Galindo OR Flaherty et al to obtain the invention as specified in claims 5, 7, 9, and 10.

5. Claims 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sicurelli et al OR Galindo OR Flaherty et al as modified by Sakariassen (US 5,662,107).

Sicurelli et al OR Galindo OR Flaherty et al disclose the claimed invention except for a computer processor coupled to the assembly. Sakariassen discloses in Figure 1 that it is known to use a computer processor coupled to a fluid pressure assembly. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the device of Sicurelli et al OR Galindo OR Flaherty et al with a computer processor as taught by Sakariassen, since such a modification would provide more accurate, more sophisticated, easier to display feedback than a manual pressure indicator.

Response to Arguments

Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Art Unit: 3767

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Catherine N. Witczak whose telephone number is (571) 272-7179. The examiner can normally be reached on Monday through Friday, 8-5 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Simons can be reached on (571) 272-4965. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Catherine N Witczak/
Examiner, Art Unit 3767
/Kevin C. Simons/

Supervisory Patent Examiner, Art Unit 3767